

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	("20020194317").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/07 14:12
S2	1	"20040117613".pn. and (boolean\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/07 13:30
S3	3	(masergy near communications)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/07 14:15
S4	275	(network traffic) near descriptor?	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/07 14:58
S7	228	(network\$5 traffic\$5) with descriptor\$5 with (select\$5 boolean express\$5 menu gui)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/07 14:34
S8	171	S7 and @ad<"20020719"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/07 14:28
S9	6	(network\$5 traffic\$5) with descriptor\$5 with (select\$5 boolean express\$5 menu gui) with match\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/07 14:28
S10	5	S9 and @ad<"20020719"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/07 14:35

S11	47	(network\$5 traffic\$5) with descriptor\$5 with (mapping\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/07 14:42
S12	0	S11 with (boolean\$5 'if' 'and' 'or' (logical adj expression))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/07 14:35
S13	5	S10 and @ad<"20020719"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/07 14:35
S14	35	S11 and @ad<"20020719"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/07 14:43
S15	2	(network\$5 traffic\$5) near3 descriptor\$5 with (gui window?)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/07 14:44
S16	1	S15 and @ad<"20020719"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/07 14:45
S17	6	(network\$5 traffic\$5) near6 descriptor\$5 with (gui window?)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/07 14:45
S18	86	(network\$5 traffic\$5) near6 descriptor\$5 with ('yes' 'no' boolean 'and' 'or')	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/07 14:50

S19	70	S18 and @ad<"20020719"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/07 14:50
S20	2	(network\$5 traffic\$5) near6 descriptor\$5 with (boolean 'if ' then')	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/07 14:50
S21	1	S20 and @ad<"20020719"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/07 15:08
S22	0	"20040117613".pn. and (parameter\$5 with descriptor\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/07 14:54
S23	1	"20040117613".pn. and (descriptor\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/07 14:58
S24	0	((network traffic) near2 descriptor?) with (web near4 traffic\$5) with (tcp port?)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/07 14:59
S25	0	((network traffic) near7 descriptor?) with (web near4 traffic\$5) with (tcp port?)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/07 14:59
S26	0	((network traffic) near7 descriptor?) with (web) with (tcp port?)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/07 14:59

S27	1	((network traffic) near7 descriptor?) and ((web near4 traffic\$5) with (tcp port?))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/07 15:06
S28	0	((network traffic) near descriptor?) near9 (select\$5) near9 ('if 'then' express\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/07 15:07
S29	3	((network traffic) near descriptor?) with ('if 'then' express\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/07 15:07
S30	0	((network traffic) near descriptor?) with mib	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/07 15:07
S31	0	((network traffic) near4 descriptor?) with mib	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/07 15:08
S32	1	((network traffic) with descriptor?) with mib	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/07 15:08
S33	17	((network traffic) near descriptor?) and mib	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/07 15:08
S34	15	S33 and @ad<"20020719"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/07 15:13

S35	17	(("20040107349") or ("20030195949") or ("20020166001") or ("6675205") or ("6425126") or ("6327617") or ("6202207") or ("6049671")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/07 15:13
-----	----	--	---	----	-----	------------------

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	("6418445").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/07 18:10
S2	2	("20040088405").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 10:14
S3	19	(customer\$5 user\$3) near9 (controlling control controls controller\$5 manag\$5) near9 ((traffic network\$5) near9 descriptor\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 10:23
S4	8	((traffic network\$5) near9 descriptor\$5) with (gui window?)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 10:25
S5	79	((traffic network\$5) near9 descript\$5) with (gui window?)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 10:25
S6	24	((traffic network\$5) near3 descript\$5) with (gui window?)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 10:27
S7	0	traffic with descript\$5 with (gui window?) with (tcp port?)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 10:28
S8	0	S7 and @ad<"20030721"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 10:27

S9	0	traffic with descript\$5 with (gui window?) with (network\$5 with parameter?)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 10:28
S10	0	traffic with descript\$5 with (gui window?) with (parameter?)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 10:28
S11	4	traffic with descript\$5 with (gui window?)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 10:30
S12	34	traffic with descript\$5 with (select\$5 choos\$5) with parameter?	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 10:30
S13	7	traffic with descriptor\$5 with (select\$5 choos\$5) with parameter?	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 14:03
S28	2	"20040088405"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 16:17